

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Christopher Bruenjes on 9/9/2010.
3. Claims 48 and 80 have been amended as follows:

48. (Currently Amended) A method of remote management of products and services, comprising:

installing at least one sensor and first microprocessor in or near at least one consumption metering device;

collecting readings from the at least one sensor installed on the at least one metering device at fixed time intervals and storing the readings in a coded format in the first microprocessor;

transmitting the collected and coded readings from the first microprocessor to a communication unit having a second microprocessor installed in or near property of a consumer;

receiving, decoding, processing, and storing the readings from the at least one sensor and first microprocessor in the communication unit having the second microprocessor;

transmitting information processed by the communication unit to at least one communication center;

receiving, processing, and storing the information from multiple communication units of multiple users-consumers in the at least one communication center;

creating consumption curves or kilowatt hour sale prices in effect at any given time in the at least one communication center, based on the information from one or multiple communication units; and

transmitting the consumption curves or kilowatt hour sales prices to individual communication units,

wherein the communication center of a service providing company comprises software required in order to undertake and process information received from the communication unit,

wherein a product or service providing company may interrupt the supply of services and products to the consumer-user through communication with the communication unit, and

wherein the communication unit displays the current kilowatt hour sales price communicated from the at least one communication center at any given time.

80. (Currently Amended) A system comprising:

at least one sensor and first microprocessor in or near at least one consumption metering device comprising means for collecting readings from the meter at fixed time intervals[[~]]and means for storing the readings in a coded format in the first microprocessor;

means for transmitting the collected and coded readings from the first microprocessor to a communication unit having a second microprocessor;

a communication unit having the second microprocessor, in or near the location in which the at least one metering device is measuring consumption, comprising means for receiving, decoding, processing, and storing the readings from the at least one sensor and first microprocessor, means for transmitting information processed by the communication unit to at least one communication center, means for receiving consumption curves or kilowatt hour sales prices at any given time from the at least one communication center, means for displaying the current kilowatt hour sales price communicated from the at last one communication center at any given time, and means for interrupting the supply of services and products to the consumer-user, if instructions are received for such an interruption from the communication center; and

the at least one communication center comprising means for receiving information from multiple communication units and means for creating and transmitting consumption curves or kilowatt hour sale prices in effect at any given time to individual communication units, means for transmitting the current kilowatt hour sales price to the communication unit for display, and means for creating and transmitting instructions to

communication units to interrupt the supply of services and products to the consumer-user,

wherein the communication unit further comprises means for recognition of emergency conditions, means of classification thereof, and means for sending that recognition and classification data to the at least one communication center.

CONCLUSION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHUNG-HOANG J. NGUYEN whose telephone number is (571)270-1949. The examiner can normally be reached on Monday to Thursday, 8:30AM - 5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on 571 272 7499. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/CURTIS KUNTZ/

Supervisory Patent Examiner, Art Unit 2614

/Phung-Hoang J Nguyen/

Examiner, Art Unit 2614